

Simple to use.
Easy to love.

Microfuge® 16 Centrifuge



Microfuge 16 is offered
bundled with 24-place rotor

Convenient – cold room compatible for flexibility with your protocols

Simple – presents a large bright display with simple intuitive push button key entry and automatic lid release at sample run completion

Adaptable – processes a wide array of microcentrifuge tubes from 0.2 to 2.2 mL with a choice of standard or soft start/stop programs

The Microfuge 16 offers fast, powerful micro-centrifugation in an easy-to-use, compact design.

Powerful – spins quietly at 16,163 x g for fast pelleting or isolation of DNA, RNA, proteins and viruses

Compact – fits easily in the tightest of workspace environments with a height under 7 inches (176 mm) and a footprint measuring 8.9 by 10.5 inches (226 x 266 mm)

Productive – maximizes sample throughput with an innovative autoclavable 24-place rotor rated at 14,800 RPM

Reliable – features a brushless induction drive, safety auto-lock closure system and unique air-cooled rotor bowl for years of safe, high-performing operation

Efficient – reduces process time with fast acceleration and deceleration rates

Versatile – offers added flexibility to your protocols with choice of pulse, timed or continuous runs

Genomics
Proteomics
Cell Analysis
Centrifugation
Lab Tools
Bioseparation
Lab Automation
Particle Characterization

Ordering Information

Instrument

Description	Part No.	Electrical
Microfuge® 16 with FX241.5P rotor	A46472	100-120 V, 50/60 Hz
Microfuge® 16 with FX241.5P rotor	A46471	220-240 V, 50/60 Hz
Microfuge® 16	A46474	100-120 V, 50/60 Hz
Microfuge® 16	A46473	220-240 V, 50/60 Hz

Rotors

Rotor Type	Part No.	Max Speed (rpm)	Max Force at R Max (g)	Max Accel/Decel (seconds)	Volume (mL)
FX241.5P Microfuge Fixed-Angle Polypropylene Rotor, with snap-on lid	A46475	14,800	16,163	15/13	24 x 1.5/2.2
FX121.5P Microfuge Fixed-Angle Polypropylene Rotor, with snap-on lid	A46476	14,800	15,183	13/11	12 x 1.5/2.2
Polysulfone Snap-on Lid (for FX241.5P and FX121.5P)	A46477				

Adapters

Description	Part No.
0.25/0.4 mL PCR-Microcentrifuge Tube Adapter (Package of 24)	361247
0.5/0.6/0.75 mL PCR-Microcentrifuge Tube Adapter (Package of 12)	364690
0.2 mL PCR-Microcentrifuge Tube Adapter (Package of 12)	392294

Specifications

Maximum <i>g</i> -Force	16,163 x <i>g</i> (increments of 100 x <i>g</i>)
Maximum Speed	14,800 RPM (increments of 100 RPM)
Maximum Capacity	24 x 2.2 mL
Runtime	99 minutes, 59 sec. (increments of 10 sec.) Continuous Run and Pulse Mode
Drive	Brushless induction drive
Dimensions H x W x D inches (mm)	6.9 x 8.9 x 10.5 (176 x 226 x 266)
Weight (without rotor) lbs. (Kg)	14 (6.4)
Noise Level at Maximum Speed	<60 dB
Power Consumption	95 W
Operating Conditions:	+4°C to +40°C, <80% humidity (non-condensing)
Lid Closure	Automatic closure and motorized lock
Soft-start/Soft-stop	Selectable

The Microfuge 16 is an important part of a broad continuum of Beckman Coulter centrifugation products, including ultracentrifuge, high-performance and general purpose centrifuges, rotors, tubes, and accessories. For over sixty years, we have continuously led the way by providing our full line of centrifugation systems worldwide. For information on our comprehensive line of systems, please contact your local Beckman Coulter representative or visit our web site at www.beckmancoulter.com/SpinningExperts



Australia, Gladesville (61) 2 9844-6000 Canada, Mississauga (1) 905 819 1234 China, Beijing (86) 10 6515 6028
 Czech Republic, Prague (420) 267 00 85 13 Eastern Europe, Middle East, North Africa, South West Asia: Switzerland, Nyon (41) 22 365 3707
 France, Villepinte (33) 1 49 90 90 00 Germany, Krefeld (49) 2151 33 35 Hong Kong (852) 2814 7431
 India, Mumbai (91) 22 3080 5101 Italy, Cassina de' Pecchi, Milan (39) 02 953921 Japan, Tokyo (81) 3 5530 8500
 Latin America (1) (305) 380 4709 Mexico, Mexico City (001) 52 55 9183 2800 Netherlands, Mijdrecht (31) 297 230630 Puerto Rico (787) 747 3335
 Singapore (65) 6339 3633 South Africa/Sub-Saharan Africa, Johannesburg (27) 11 805 2014/5 Spain, Madrid (34) 91 3836080
 Sweden, Bromma (46) 8 564 85 900 Switzerland, Nyon (41) 0800 850 810 Taiwan, Taipei (886) 2 2378 3456 Turkey, Istanbul (90) 216 309 1900
 UK, High Wycombe (44) 01494 441181 USA, Fullerton, CA (1) 800 742 2345